



# BFR21

**Suitable Conditions**

Medium and long mileage vehicles running on paved roads.



# BFR28

**Suitable Conditions**

Medium and long mileage vehicles running on paved roads.



Suitable

- Groove and sipe design improve tire grip.
- The wide running surface improves pressure distribution for better grounding performance.
- Designs at the bottom of the main grooves improve handling and driving comfort.
- The widen shoulders and shallow groove design effectively dissipate heat to promote even shoulder wear.



Suitable

- Improved heat dissipation.
- Improved fuel economy.
- Strong grip.
- Improved skid resistance.

Plant	Size	L.I. / S.R.	P.R.	T.D. mm	RIM inch	O.D. mm	S.W. mm	S.L.R. inch	L.C.C.			
									Single kg	Dual kg	A.P. kPA	A.P. PSI
CN	8.5R17.5	121/120M	12	11.0	6.00	802	215	14.72	1450	1400	625	91

Plant	Size	L.I. / S.R.	P.R.	T.D. mm	RIM inch	O.D. mm	S.W. mm	S.L.R. inch	L.C.C.			
									Single kg	Dual kg	A.P. kPA	A.P. PSI
CN	295/80R22.5	152/148M	16	14.5	9.00	1044	298	19.17	3550		850	123